



## Burton CoolSpot™ II Light

The advanced health care lighting solution that fits both your space and your budget! The CoolSpot II Minor Surgery Light offers up to 13,000 footcandles at 24" and 5000 footcandles at 1 meter. Also, the CoolSpot II offers up to 4300° K color temperature and a spot size adjustment of 2"-10". The design features a no-drift arm system and a removable autoclavable handle. 5-year warranty, UL/cUL certified (meets higher UL standards of 60601-2-41 for medical lighting).

- 1097-0244312 Floor Stand Model
- 1097-0244322 Single Ceiling Model
- 1097-0244332 Double Ceiling Model
- 1097-0244342 Wall Model
- 1097-0204370 Single 6' Fastrac Model
- 1097-0204372 Double (Head) 6' Fastrac Model

## Burton Outpatient® II

The Outpatient II is an industry leader for diagnostic and procedure lights. More physicians choose the Outpatient II than any other diagnostic light for its focusable flood-type light, maximum intensity and shadow-free operation. With minimal heat output, the Outpatient II offers 8000 footcandles at 24" and 3300° K color temperature. The Outpatient II is a low-maintenance, high output light for nearly every application in the hospital, surgical suite or physician office. 5-year warranty, UL/cUL certified (meets higher UL standards of 60601-2-41 for medical lighting).



- 1097-0224112 Outpatient® II, Floor Stand
- 1097-0224122 Outpatient® II, Single Ceiling
- 1097-0224132 Outpatient® II, Double Ceiling
- 1097-0224142 Outpatient® II, Wall
- 1097-0204470 Single Outpatient® II on Fastrac
- 1097-2024472 Double Outpatient® II on Fastrac

The Products Listed In This Catalogue Represent Only A Portion Of Those Available. Please Call Our Office Or See Your Sales Representative.

## Burton Reflector™ Light

Utilizing a 100-watt halogen bulb and a color-correcting glass cylinder, the Burton Reflector Light delivers 3500 footcandles at 24" of shadow-free, natural daylight illumination. As a standard in the industry, the Burton Reflector offers uncompromising quality and reliability. 5-year warranty, UL/cUL certified (meets higher UL standards of 60601-2-41 for medical lighting).



- 1097-112012 Reflector™ Light w/Floor Stand, Easy Glide Casters, 12" Reflector
- 1097-113012 Reflector™ Light same as above w/14" Reflector
- 1097-1007101 Sterilizable Handle

## Burton Visionary® OR Light

A full-featured O.R. light at a fraction of the cost of competitive products if what you get with the Visionary. Burton's Visionary Surgery light offers advanced design, an incredible 8300 footcandles at 1 meter, 4200° K color temperature, focusable operation and 360° limitless arm rotation. The Visionary's light beam is extremely cool and the housing is completely sealed for easy cleaning. 5-year warranty, UL/cUL certified (meets higher UL standards of 60601-2-41 for medical lighting).



- 1097-0212040 Visionary® Single Ceiling (115V)
- 1097-0212050 Visionary® Double Ceiling (115)

## AIM-100™ Minor Surgery Light

Providing both amazing illumination an unparalleled aesthetics, Burton's AIM-100™ is the right light for minor surgery procedures. With an intensity of 14,800 footcandles at 24" (5800 footcandles at 1 meter), the AIM-100 enhances your vision by allowing a true restitution of colors. Supported by an extended 5-year warranty, the AIM-100 offers the ultimate combination of quality and value in its class. UL/cUL certified (meets higher UL standards of 60601-2-41 for medical lighting).



- 1097-A100FL AIM-100™ Floorstand
- 1097-A100SC AIM-100™ Single Ceiling
- 1097-A100DC AIM-100™ Double Ceiling
- 1097-A100Q AIM-100™ Wall Mount

## Ritter 355 Minor Surgery Light

The Ritter 355 has everything you want in a minor surgery light. Precise positioning without drifting, superior footcandle illumination, large pattern size &

shadow control, ease of maneuverability & an economical price.

This makes it ideal for use in an office procedure room & in

Emergency Departments. ISO 9001 certified.

- 4443-355-028 Single Mount, 9' Ceiling
- 4443-355-034 Dual Mount, 9' Ceiling
- 4443-355-025 Single Mount, 8' Ceiling
- 4443-355-031 Dual Mount, 8' Ceiling
- 4443-355-022 Mobile Light
- 4443-355-024 CE Marked Mobile
- 4443-355-027 CE Marked Single Mount, 8' Ceiling
- 4443-355-030 CE Marked Single Mount, 9' Ceiling
- 4443-355-033 CE Marked Dual Mount, 8' Ceiling
- 4443-355-036 CE Marked Dual Mount, 9' Ceiling



## Ritter 354 Spotlight

An ideal task light for all medical environments where illumination is required for external examinations and procedures. Designed with a color temperature of 4,200K to

provide a whiter light and a true

representation of tissue color. Features a built-in fan, an easy to adjust dimmer lever that controls the amount of light, and a

adjustable spot size, fully autoclavable handle. Durable,

dependable, easy to clean and care for. and it looks good, too!

- 4443-354-028 Single Mount, 9' Ceiling
- 4443-354-034 Dual Mount, 9' Ceiling
- 4443-354-025 Single Mount, 8' Ceiling
- 4443-354-031 Dual Mount, 8' Ceiling
- 4443-354-022 Mobile Light
- 4443-354-040 Combination 354/355, 9' Ceiling
- 4443-354-037 Combination 354/355, 8' Ceiling



## Grafco® Exam Lamps

Rods are sturdy, chrome-plated steel adjustable from 34 1/2" – 53 1/2". Weighted chrome-plated steel bases have smooth rounded lip, which will not cut into wiring, rust or mar floors. Smooth rolling, tip resistant mobile bases are enameled steel with four casters and protective bumpers. Heavily chrome-plated pharmacy shade features baked white enamel bowl for maximum illumination. Features include solid cast SOK-IT-GUARD™ Safety Lock, push-through switch, slip proof adjustable lock. 115/120V AC. 3 wire 8 ft. grounded cord.

2867-1697-1 Grafco® Exam Lamps Series, UL Listed



## Grafco® Deluxe Exam Lamps

Flared, double-wall, dual cool ventilated reflector and shade are of heavy gauge anodized aluminum. Designed with swivel assembly for complete adjustability. One piece, high heat, phenolic socket with back-turn knob switch. One-hand, slip proof lock.

Weighted, chrome-plated steel base. 115/120V AC. 3 wire 8 ft. grounded cord.

2867-1698 Grafco® Deluxe Exam Lamps Series, UL Listed



## Burton Gleamer® Light

Burton's newest procedure light, the 35-watt halogen Gleamer®, was designed for the most demanding specifications of healthcare facilities: high intensity, cool operation, compact design and low cost. Offers 4166 fc, 3700°K color temperature and incredible 4000 hour bulb life. The Gleamers® swing radius offers extensive reach, maximum convenience and superior flexibility. 18.5" rugged gooseneck and long extension arm. 5-year warranty, UL 60601 certified.


- 1097-0960112 Gleamer® Floor Stand
- 1097-0960120 Gleamer® w/Extension Arm and Univ. Mount
- 1097-0960160 Gleamer® with Univ. Mount



The Products Listed In This Catalogue Represent Only A Portion Of Those Available. Please Call Our Office Or See Your Sales Representative.


## Burton Super BrightSpot™ Light

The Super Bright Spot™ is perfect for OB/GYN applications with a 5"-9" pre-focused, extremely cool light beam. Its light-gathering front lens focuses the beam to yield an exceptionally intense, uniform spot. Easy to position with one hand. 5185 fc and color temperature of 3700°K. Dichotic reflector filters out infrared to keep the beam cool. 20-watt long-lasting halogen bulb. Floor model includes space saving base with built-in casters and premium "heavy duty" gooseneck. 5-year warranty, UL 60601 Certified.



1097-0152112 Super BrightSpot™ Floor Stand

## Burton SuperNova® Light



The award-finalist, SuperNova is a bright and compact gooseneck exam light and the only light in its category offering a built-in handle system. The SuperNova provides a no-drift arm along with a durable gooseneck and a sturdy space saving base with built-in casters. 5-Year Warranty, UL 60601 Certified.

1097-0990020 SuperNova® Floor Stand

## Burton™ Ultraviolet Exam Lights


A standard in the industry! The UV Light is a portable hand-held light for maximum flexibility. Optically ground and polished magnifier lens with 3 power magnification. Available with magnifier and white bulbs for various application needs. 5-Year Warranty.



1097-0316020 Magnifier & 2 UV Bulbs  
 1097-0316030 Magnifier & 2 White Bulbs & 2 UV Bulbs  
 1097-0315010 2 UV Bulbs only

## Burton Wave™ Plus Magnifier

The Wave™ Plus, with an improved, more powerful 3.5 diopter magnifier, is superior in both form and function. Two independent 13-watt fluorescent bulbs provide more intensity than conventional magnifier-type lights, and the Wave Plus' quick start mechanism assures immediate light output. Designed with a large rectangular magnifier (6.5"x 4") that is preferred by many healthcare professionals. 5-year warranty.



1097-0184040 Wave™ Plus, Floor Stand w/Casters  
 1097-0184042 Wave™ Plus, Wall

## Welch Allyn® LS150 Examination Light

Engineered for performance, our premium-quality exam light delivers brilliant color and convenience.

- Color-corrected 50-watt lamp for more accurate color rendition
- Molded Lexan® head stays cool to the touch
- Small base profile frees up valuable exam room space

6783-44500 LS-150 with Floor Stand  
 6783-44510 LS-150 with Wall Mount  
 6783-44350 Optional Caster Base for Mobility  
 6783-44101 LS150 Table Clamp Accessory



## Welch Allyn® Exam Light III™ Fiber Optic Light

Flexible fiber optic lighting that lets you take brighter, whiter light anywhere without the heat.

- Mounts easily on a wall, stand, or examination table
- Durable fiber optic light pipe bends to almost any position and transmits cool illumination
- Small head leaves clear view of task areas
- Sealed focusing sleeve keeps optics free of dust
- Provides homogeneous spot and variable size
- Ideal for gynecological examinations and minor procedures

6783-48700 Exam Light III  
 6783-48850 Mobile Stand  
 6783-48859 Universal Table Mount



## Welch Allyn® LS-200™ Halogen Procedure Light

Bring light to all your office-based procedures with high-quality, low-cost illumination.

- Superior maneuverability covers a wide range of positions without drifting or repositioning
- 24" working distance with 2,500 foot-candles light output and 3,200°K color temperature enhance visualization of the operative site and true tissue color
- Three-lamp design ensures continuous, shadow-free illumination
- 7" spot size with feathered edge definition and 12" depth of field reduce eye strain

6783-44200 LS-200 Procedure Light  
 6783-44250 Mobile Stand  
 6783-44210 Wall Mount Bracket

